



**GENERAL NOTES:**

**CURTAIN:**

- 26 GAUGE GALVANIZED STEEL WITH BAKED ON EPOXY PRIMER AND POLYESTER TOP COAT

**GUIDES:**

- ROLL FORMED 16 GAUGE GALVANIZED STEEL

**OPERATION:**

- RIGHT HAND SHOWN, LEFT HAND OPPOSITE

**OTHER SURFACES:**

- GALVANIZED OR SHOP COAT PRIMER

**INSULATION:**

- MYLAR AND POLYETHYLENE INSULATION LAMINATED TO BACK OF CURTAIN

| SIDE ROOM REQUIREMENTS              |                                | SEE 'ELEVATION' |     |
|-------------------------------------|--------------------------------|-----------------|-----|
| <input checked="" type="checkbox"/> | CHOOSE TYPE OF OPERATION BELOW | A-1             | A-2 |
| <input type="checkbox"/>            | HAND-ROPE PULL                 | 6'              | 6'  |
| <input type="checkbox"/>            | REDUCTION GEAR CHAIN HOIST     | 10'             | 6'  |
| <input checked="" type="checkbox"/> | ELECTRIC MOTOR OPERATOR KIT    | 10'             | 6'  |

| MRK.  | QTY. | OPENING SIZE |            | OPERATION | R.H. | CLEARANCES |     | OPTION | PROJECT: | ARCHITECT: | CONTRACTOR: | DISTRIBUTOR: | DATE: | SHEET: | OF: | BY: | REF# |     |
|---|------|--------------|------------|-----------|------|------------|-----|--------|----------|------------|-------------|--------------|-------|--------|-----|-----|------|-----|
|   |      | WIDTH 'W'    | HEIGHT 'H' |           |      | L.H.       | 'X' |        |          |            |             |              |       |        |     |     |      | 'Y' |
|   |      |              |            |           |      |            |     |        |          |            |             |              |       |        |     |     |      |     |
| <b>MODEL 202 INSULATED COMMERCIAL SHEET DOOR w/ MOTOR</b> |      |              |            |           |      |            |     |        |          |            |             |              |       |        |     |     |      |     |

Asta Door Corporation is not responsible for the use of improper installation procedures, structural supports as well as field inspection prior to manufacturing and installation.

APPROVAL SIGNATURE: \_\_\_\_\_ DATE: \_\_\_\_\_

  
**ASTAAMERICA**  
 BY JANUS INTERNATIONAL  
 4255 McEver Industrial Dr.  
 Acworth, GA 30101  
 PH: (770) 974-2600  
 Fax: (770) 974-1455  
 www.astadoor.com